

## AUTOMOTIVE BEARINGS

Wheel bearings

Automobile air conditioner bearing

Automotive water pump bearing

Automotive clutch release bearing

## AUTOMOBILWÄRLAGER

## WASSERPUMPENLAGER



## AUTOMOTIVE BEARINGS

Inntec manufactures bearings that make the vehicle safer, more comfortable and more environmentally-friendly. Our products include small and light high quality wheel hub bearings with sustained life, power-boosting water pump bearings crafted by advanced technology, tensioner bearings as a key component of automotive engine, smooth-running and wearing-resistant transmission bearings.

All our automotive wheel bearings, transmission and gear box bearings, generator bearings, clutch and tensioner bearings are manufactured with optimized design and advanced technology using premium heat-treated high carbon chromium bearing steel. They can be divided into five bearing categories: deep groove ball bearings, tapered roller bearings, angular contact ball bearings and needle roller bearings.

### FEATURES

- Precision grade available with P0, P6 and P5.
- Optimized internal clearance in accord with working conditions as per customers' requirements.
- Cage material available with sheet steel, polyamide, brass and bakelite.
- Imported clean lubrication grease to reduce friction and achieve low-noise and heat-resistant performance and long life.
- Seals and shields preventing grease leakage and contamination.
- Optimized design to cope with high or low temperature environments.
- bearings with snap ring groove, snap ring or tension ring on one side or both sides are also available.
- various applications in axle, gear box, clutch, wheel hub, generator, starter motor, air conditioner, etc.



## InnTec Bearing

Automotive water  
pump bearing

NSK	FAG	RHP	KOYO	尺寸 Dimensions(mm)									Bearing numbers
				D	C	L	d	d1	d2	B	S1	S2	
				24	25	83	12	-	-	21			F109
				24	27	84.5	12.038	-	-	21			WB1224085
				24	33.4	82.73	12.038	-	-	16			WB1224083
			FPS056	24	33.4	100.97	12.738	-	-	25.1			FPS056
				26	27	84.5	12	-	-	21			WB1226085
	W26-82			26	30	82	12	-	-	34.4			W26-82
				26	30	87.8	12	-	-	16.5			GWM-34A
				26	30	88	12	-	-	18			W26-88
				26	30	89	12	-	-	40.5			WB1226089
				26	39	86	12	-	-	12			F102
BWF26-36QR				26	39	89.5	12	-	-	34			BWF26-36QR
				26	39	90.5	12	-	-	35			WB1226091
				26	39	92	12	-	-	34			WP-3701
				26	39	92	12.015	-	-	34			W2B092
				26	39	94.5	12	-	-	34.5			WP-7111
				26	39	94.5	12	-	-	34.01			S16140-R5
				26	39	94.5	12.05	-	-	34.01			BWF26-14RUJ 0/5
				26	39	99	12	-	-	35			WP-1-2
				26	39	101	12	-	-	40.5			WP-18-027
				26	39	102.5	12	-	-	42			W12103
BWF26-14R	WS2407			26	39	103.5	12	-	-	43.1			WS2407
				26	39	103.5	12	-	-	47			WB1226104
				26	39	103.5	12.1	-	-	47			WB1226104J
				26	39	105.5	12	-	-	42			WB1226105
				26	39	105.8	12	-	-	50.4			WB1226106
	W2B092			26	39	92	12	-	-	40.4			WB1226092
				28	20	78	17.2	-	12	39.5		37	W28-78-17
				30	20	74.5	17.2	-	12	41.5		39.5	WB1730075A
				30	20	74.71	17.2	-	15.918	41.7		39	RWF28-1
				30	23	71.3	17.2	-	12	13.5		31.5	DP68071-1
				30	23	72.7	17.2	-	12	14		33	16073-14
				30	23	75	17.2	-	12	38		35.5	ZJ-3
				30	23	78	17.2	-	12	39		33.5	130700
				30	23	78	17.208	-	12	39.5		37	WP-18-481
				30	23	78	17.2	-	12	39.5		32.6	K283

# AUTOMOTIVE BEARINGS



NSK	FAG	RHP	KOYO	Dimensions(mm)									Bearing numbers
				D	C	L	d	d1	d2	B	S1	S2	
				30	23	79	17.25	-	12.05	42.6		40.7	WPB1730079A 0/S
				30	23	80	17.2	-	12	41.5		36.4	WB1730080A
8844329 0/S				30	23	82	17.25	-	45	45		41.5	8844329 0/S
				30	24	71	15.918	-	12	34.5		33	TJ-4053
				30	24	78	17.2	-	12	39		37	WB1730078
				30	25	42.3	15.918	-	-	17.3			WB1630042
				30	25	82	15.918	-	12	14.15		40.5	DP6B082
				30	25	83.3	15.918	-	-	41.85			WB1630083
				30	27	76	15.918	-	12	33		30.5	WP-1703
				30	27	80.04	15.918	-	-	15.75			WB1630080
				30	27	84.5	15.918	-	-	40.5			TJ-3412
885342 0/S				30	27	84.5	15.969	-	-	40.26			885342 0/S
				30	27	85	15.918	-	12.038	41		35	PASYYYY
				30	27	88	15.918	-	-	43			PAS813
				30	27	90	15.918	-	12	47.5		42.5	TJ-7121
				30	27.5	84.5	15.918	-	-	41.5			11.108
				30	30	77	17.2	-	12	33.9		31.8	RWFS305Z
				30	30	80	16	-	12	18	30	16	F116
				30	30	80.5	17.2	-	12	37.1		35	RWFS30-7a
				30	30	81	15.918	-	-	36			110-1080
				30	30	83	16	-	12	35		33.5	F101
				30	30	84	15.918	-	12	14		38	DP6B084
W2270				30	30	84	15.918	-	12	17		33	WB1630084
			WPB16086/1RBS	30	30	86	15.918	-	12	16.5		37	WB1630086
				30	30	86	17.2	-	12	17		37	WB1730086
				30	30	88	17.2	-	12	44.5		41.3	DP7B088
				30	30	90	15.918	-	12	15		41.5	DP6B090
				30	30	90.5	15.918	-	12	16		42	N-36
				30	30	92.5	17.2	-	12	15.5		45	W7B093K
				30	30	95	15.918	-	12	22.65		40	DP6B095
				30	31.75	77.72	15.918	-	-	33.02			W30-78
				30	33.4	83	15.918	-	12.038	15.7		33	WB1630083A



# InnTec Bearing

Automotive water pump bearing

NSK	FAG	RHP	KOYO	Dimensions(mm)									Bearing numbers
				D	C	L	d	d1	d2	B	S1	S2	
				30	34.5	101.3	15.918	-	-	41.5			11.109
				30	34.5	108.8	15.918	-	14.987	32.8		30.6	11.11
				30	35	86	16	15	12	34	15	32	F103
				30	35	86	15.05	-	12	17		32	F113
				30	35	87.5	15.918	-	12	14		34.5	WB1630088A
				30	36	86.4	15	-	12	13.7		33.7	WB1530086A
				30	36	87.5	15	-	-	34.9			WB1530088
				30	36	87.5	15	-	-	38			WS30-87
				30	36	87.5	15.918	-	12	13.5		34	DP6B088
				30	36	88.5	15.918	-	12	14.1		36	WB1630089A
				30	36	88.75	16	-	16	33.5			PLC76-7-25
				30	36	89	15.918	-	12	34		32	WP-574
				30	36	91.4	15	-	12	13.7		38.7	WB1530091A
				30	36	97.6	15.918	-	-	13.5			WB1630097
				30	36	101.5	15.951	-	-	45			PAS0869
				30	36.5	88	15.918	-	15.008	34.8		15.7	11.183
				30	36.5	88.8	15.918	-	-	33			11.177
				30	36.5	88.8	16	-	-	33			F024
				30	23	80	16	12	-	39	37		8844339
				30	36	87.8	15	-	12	13.5		36	WB1530088A
				30	36	88.5	15.918	-	12	14.1	37		WB1630088D
				30	35	89.5	15.918	-	12	16.5	36.5		WB1630090D
				30	30	84	15.918	-	12	17		35	WB1630084-1
				30	38.9	51.4	15.918	-	-	9.38			W30-53
				30	38.9	67	17	-	-	25.5			30-17
				30	38.9	67.5	15.918	-	-	25.5			630645?
				30	38.9	68	15.918	-	-	26.55			WB1630068
				30	38.9	82.55	15.918	-	-	39.7			885165
				30	38.9	87.6	15.918	-	-	35			885001
				30	38.9	86.1	15.918	-	-	43.4			W2450-2/F
				30	38.9	91	15.918	-	-	14			Wb1630091