

AUTOMOTIVE BEARINGS

Wheel bearings

Automobile air conditioner bearing

Automotive water pump bearing

Automotive clutch release bearing

AUTOMOBILWÄRLAGER

WASSERPUMPENLAGER



AUTOMOTIVE BEARINGS

Inntec manufactures bearings that make the vehicle safer, more comfortable and more environmentally-friendly. Our products include small and light high quality wheel hub bearings with sustained life, power-boosting water pump bearings crafted by advanced technology, tensioner bearings as a key component of automotive engine, smooth-running and wearing-resistant transmission bearings.

All our automotive wheel bearings, transmission and gear box bearings, generator bearings, clutch and tensioner bearings are manufactured with optimized design and advanced technology using premium heat-treated high carbon chromium bearing steel. They can be divided into five bearing categories: deep groove ball bearings, tapered roller bearings, angular contact ball bearings and needle roller bearings.

FEATURES

- Precision grade available with P0, P6 and P5.
- Optimized internal clearance in accord with working conditions as per customers' requirements.
- Cage material available with sheet steel, polyamide, brass and bakelite.
- Imported clean lubrication grease to reduce friction and achieve low-noise and heat-resistant performance and long life.
- Seals and shields preventing grease leakage and contamination.
- Optimized design to cope with high or low temperature environments.
- bearings with snap ring groove, snap ring or tension ring on one side or both sides are also available.
- various applications in axle, gear box, clutch, wheel hub, generator, starter motor, air conditioner, etc.



InnTec Bearing

Automotive water pump bearing

NSK	FAG	RHP	KOYO	尺寸 Dimensions(mm)									Bearing numbers
				D	C	L	d	d1	d2	B	S1	S2	
				24	25	83	12	-	-	21			F109
				24	27	84.5	12.038	-	-	21			WB1224085
				24	33.4	82.73	12.038	-	-	16			WB1224083
			FPS056	24	33.4	100.97	12.738	-	-	25.1			FPS056
				26	27	84.5	12	-	-	21			WB1226085
	W26-82			26	30	82	12	-	-	34.4			W26-82
				26	30	87.8	12	-	-	16.5			GWM-34A
				26	30	88	12	-	-	18			W26-88
				26	30	89	12	-	-	40.5			WB1226089
				26	39	86	12	-	-	12			F102
BWF26-36QR				26	39	89.5	12	-	-	34			BWF26-36QR
				26	39	90.5	12	-	-	35			WB1226091
				26	39	92	12	-	-	34			WP-3701
				26	39	92	12.015	-	-	34			W2B092
				26	39	94.5	12	-	-	34.5			WP-7111
				26	39	94.5	12	-	-	34.01			S16140-R5
				26	39	94.5	12.05	-	-	34.01			BWF26-14RUJ 0/5
				26	39	99	12	-	-	35			WP-1-2
				26	39	101	12	-	-	40.5			WP-18-027
				26	39	102.5	12	-	-	42			W12103
BWF26-14R	WS2407			26	39	103.5	12	-	-	43.1			WS2407
				26	39	103.5	12	-	-	47			WB1226104
				26	39	103.5	12.1	-	-	47			WB1226104J
				26	39	105.5	12	-	-	42			WB1226105
				26	39	105.8	12	-	-	50.4			WB1226106
	W2B092			26	39	92	12	-	-	40.4			WB1226092
				28	20	78	17.2	-	12	39.5		37	W28-78-17
				30	20	74.5	17.2	-	12	41.5		39.5	WB1730075A
				30	20	74.71	17.2	-	15.918	41.7		39	RWF28-1
				30	23	71.3	17.2	-	12	13.5		31.5	DP68071-1
				30	23	72.7	17.2	-	12	14		33	16073-14
				30	23	75	17.2	-	12	38		35.5	ZJ-3
				30	23	78	17.2	-	12	39		33.5	130700
				30	23	78	17.208	-	12	39.5		37	WP-18-481
				30	23	78	17.2	-	12	39.5		32.6	K283

AUTOMOTIVE BEARINGS



NSK	FAG	RHP	KOYO	Dimensions(mm)									Bearing numbers
				D	C	L	d	d1	d2	B	S1	S2	
				30	23	79	17.25	-	12.05	42.6		40.7	WPB1730079A 0/S
				30	23	80	17.2	-	12	41.5		36.4	WB1730080A
8844329 0/S				30	23	82	17.25	-	45	45		41.5	8844329 0/S
				30	24	71	15.918	-	12	34.5		33	TJ-4053
				30	24	78	17.2	-	12	39		37	WB1730078
				30	25	42.3	15.918	-	-	17.3			WB1630042
				30	25	82	15.918	-	12	14.15		40.5	DP6B082
				30	25	83.3	15.918	-	-	41.85			WB1630083
				30	27	76	15.918	-	12	33		30.5	WP-1703
				30	27	80.04	15.918	-	-	15.75			WB1630080
				30	27	84.5	15.918	-	-	40.5			TJ-3412
885342 0/S				30	27	84.5	15.969	-	-	40.26			885342 0/S
				30	27	85	15.918	-	12.038	41		35	PASYYYY
				30	27	88	15.918	-	-	43			PAS813
				30	27	90	15.918	-	12	47.5		42.5	TJ-7121
				30	27.5	84.5	15.918	-	-	41.5			11.108
				30	30	77	17.2	-	12	33.9		31.8	RWFS305Z
				30	30	80	16	-	12	18	30	16	F116
				30	30	80.5	17.2	-	12	37.1		35	RWFS30-7a
				30	30	81	15.918	-	-	36			110-1080
				30	30	83	16	-	12	35		33.5	F101
				30	30	84	15.918	-	12	14		38	DP6B084
W2270				30	30	84	15.918	-	12	17		33	WB1630084
			WPB16086/1RBS	30	30	86	15.918	-	12	16.5		37	WB1630086
				30	30	86	17.2	-	12	17		37	WB1730086
				30	30	88	17.2	-	12	44.5		41.3	DP7B088
				30	30	90	15.918	-	12	15		41.5	DP6B090
				30	30	90.5	15.918	-	12	16		42	N-36
				30	30	92.5	17.2	-	12	15.5		45	W7B093K
				30	30	95	15.918	-	12	22.65		40	DP6B095
				30	31.75	77.72	15.918	-	-	33.02			W30-78
				30	33.4	83	15.918	-	12.038	15.7		33	WB1630083A



InnTec Bearing

Automotive water pump bearing

NSK	FAG	RHP	KOYO	Dimensions(mm)									Bearing numbers	
				D	C	L	d	d1	d2	B	S1	S2		
				30	34.5	101.3	15.918	-	-	41.5				11.109
				30	34.5	108.8	15.918	-	14.987	32.8			30.6	11.11
				30	35	86	16	15	12	34	15	32		F103
				30	35	86	15.05	-	12	17			32	F113
				30	35	87.5	15.918	-	12	14			34.5	WB1630088A
				30	36	86.4	15	-	12	13.7			33.7	WB1530086A
				30	36	87.5	15	-	-	34.9				WB1530088
				30	36	87.5	15	-	-	38				WS30-87
				30	36	87.5	15.918	-	12	13.5			34	DP6B088
				30	36	88.5	15.918	-	12	14.1			36	WB1630089A
				30	36	88.75	16	-	16	33.5				PLC76-7-25
				30	36	89	15.918	-	12	34			32	WP-574
				30	36	91.4	15	-	12	13.7			38.7	WB1530091A
				30	36	97.6	15.918	-	-	13.5				WB1630097
				30	36	101.5	15.951	-	-	45				PAS0869
				30	36.5	88	15.918	-	15.008	34.8			15.7	11.183
				30	36.5	88.8	15.918	-	-	33				11.177
				30	36.5	88.8	16	-	-	33				F024
				30	23	80	16	12	-	39	37			8844339
				30	36	87.8	15	-	12	13.5			36	WB1530088A
				30	36	88.5	15.918	-	12	14.1	37			WB1630088D
				30	35	89.5	15.918	-	12	16.5	36.5			WB1630090D
				30	30	84	15.918	-	12	17			35	WB1630084-1
				30	38.9	51.4	15.918	-	-	9.38				W30-53
				30	38.9	67	17	-	-	25.5				30-17
				30	38.9	67.5	15.918	-	-	25.5				630645?
				30	38.9	68	15.918	-	-	26.55				WB1630068
				30	38.9	82.55	15.918	-	-	39.7				885165
				30	38.9	87.6	15.918	-	-	35				885001
				30	38.9	86.1	15.918	-	-	43.4				W2450-2/F
				30	38.9	91	15.918	-	-	14				Wb1630091